



Advances in Environmental Sciences

[Home](#) [Editorial Board](#) [Coverage](#) [News](#) [Sponsor this journal](#) [Other Journals](#) [Sister Journals](#)

You are here > Home

AES Bioflux

- [Page format](#)
- [Instructions to authors](#)
- [Submission letter](#)
- [Reviewer information pack](#)
- [Volume 11\(3\)/2019 \(December, 30\)](#)
- [Volume 11\(2\)/2019 \(August, 30\)](#)
- [Volume 11\(1\)/2019 \(April, 30\)](#)
- [Volume 10\(3\)/2018 \(December, 30\)](#)
- [Volume 10\(2\)/2018 \(August, 30\)](#)
- [Volume 10\(1\)/2018 \(April, 30\)](#)
- [Volume 9\(3\)/2017 \(December, 30\)](#)
- [Volume 9\(2\)/2017 \(August, 30\)](#)
- [Volume 9\(1\)/2017 \(April, 30\)](#)
- [Volume 8\(3\)/2016 \(December, 30\)](#)
- [Volume 8\(2\)/2016 \(August, 30\)](#)
- [Volume 8\(1\)/2016 \(April, 30\)](#)
- [Volume 7\(3\)/2015 \(December, 30\)](#)
- [Volume 7\(2\)/2015 \(June, 30\)](#)
- [Volume 7\(1\)/2015 \(April, 30\)](#)
- [Volume 6\(3\)/2014 \(December, 30\)](#)
- [Volume 6\(2\)/2014 \(June, 15\)](#)
- [Volume 6\(1\)/2014 \(April, 15\)](#)
- [Special Issue 2014 \(March, 27\)](#)
- [Volume 5\(3\)/2013 \(October, 15\)](#)
- [Volume 5\(2\)/2013 \(June, 15\)](#)
- [Volume 5\(1\)/2013 \(April, 15\)](#)
- [Volume 4\(3\)/2012 \(December, 30\)](#)
- [Volume 4\(2\)/2012 \(August, 30\)](#)
- [Volume 4\(1\)/2012 \(June, 30\)](#)
- [Volume 3\(3\)/2011 \(December, 30\)](#)
- [Volume 3\(2\)/2011 \(August, 30\)](#)
- [Volume 3\(1\)/2011 \(June, 30\)](#)
- [Volume 2\(2\)/2010 \(November, 30\)](#)
- [Volume 2\(1\)/2010 \(July, 31\)](#)
- [Volume 1\(2\)/2009 \(December, 30\)](#)
- [Volume 1\(1\)/2009 \(August, 30\)](#)
- [Volume Pilot \(b\)/2008 \(December, 30\)
- available printed only](#)
- [Volume Pilot \(a\)/2007 \(December, 30\)
- available printed only](#)

Advances in Environmental Sciences - International Journal of the Bioflux Society

Online ISSN 2066-7647
 Print ISSN 2066-7620
 ISSN-L 2066-7620

Published by Bioflux, three issues per year.

The journal covers all the fields of environmental sciences, connected to life sciences, geology, physics, chemistry, economics, policies or legislation (both theoretical and applied issues).

AES Bioflux is a good opportunity for you to publish your original research, review, or short communication, both printed and online, color, open access. Our policy allows the author(s) to hold the copyright without restrictions. This is an open-access journal distributed under the terms of the Creative Commons Attribution License CC-BY, which permits unrestricted use, distribution and reproduction in any medium, provided the original author and source are credited.

AES Bioflux is an international peer-reviewed journal. Each published article was independently seen before by two Scientific Reviewers and at least one lingvist. Peer-review policy in AES Bioflux: double blind peer-review. The editors use a soft for screening the plagiarism. Acceptance rate: about 50%. Electronic submission is required.

Because many authors withdrew their manuscript in final form just before the payment of the publication fee, our policy has changed (20 February 2019). The publication fee was replaced by a processing fee (250 USD), which is paid after a preliminary evaluation (not at the end). Our evaluation has two steps. 1)A preliminary evaluation by the editor (the author gets a preliminary acceptance or rejection); 2)An external double blind peer-review (at this point the author gets a final decision: acceptance or rejection). Please note that if the manuscript will not be published, the author or his/her institution gets the money back (except the cases of poor feedback from authors or withdrawal/rejection due to multiple submissions). We inform the authors about our final decision (acceptance or rejection) in 3-8 weeks after their submission. The average overall time from submission of the manuscript to publication is 10 weeks. Faster processing involves a tax of priority (50 USD).

Manuscript processing fee: 250 USD (or equivalent in EURO or RON);
 Manuscript processing fee with priority: 300 USD (or equivalent in EURO or RON);
 Publication fee: 0 USD.

The journal has a waiver policy for developing country authors (only for cases of very good quality manuscripts). When the manuscript's first author is a member of the Editorial Board Expanded (AES Bioflux), there is no processing fee. Please attach a scanned payment document and email to zoobiomag2004@yahoo.com

Payment to: Bioflux SRL
 SWIFT CODE of the bank: BTRLRO22
 Account no. 213USDCRT00L2861401
 IBAN:
 USD: RO68BTRL01302202L28614XX BANCA TRANSILVANIA (Cluj-Napoca)
 EURO: RO19BTRL01304202L28614XX BANCA TRANSILVANIA(Cluj-Napoca)
 RON: RO44BTRL01301202L28614XX BANCA TRANSILVANIA (Cluj-Napoca)

Statement of human and animal rights

When reporting experiments on human subjects, authors should indicate whether the procedures followed were in accordance with the ethical standards of the responsible committee on human experimentation (institutional and national) and with the Helsinki Declaration of 1975, as revised in 2000 (5). If doubt exists whether the research was conducted in accordance with the Helsinki Declaration, the authors must explain the rationale for their approach, and demonstrate that the institutional review body explicitly approved the doubtful aspects of the study. When reporting experiments on animals, authors should indicate whether the institutional and national guide for the care and use of laboratory animals was followed (International Committee of Medical Journal Editors - "Uniform Requirements for Manuscripts Submitted to Biomedical Journals" - February 2006 – cited by Pubmed, Medline database).

Statement of informed consent

Patients have a right to privacy that should not be infringed without informed consent. Identifying information, including patients' names, initials, or hospital numbers, should not be published in written descriptions, photographs, and pedigrees unless the information is essential for scientific purposes and the patient (or parent or guardian) gives written informed consent for publication. Informed consent for this purpose

www.aes.bioflux.com.ro

1/2

requires that a patient who is identifiable be shown the manuscript to be published. Authors should identify individuals who provide writing assistance and disclose the funding source for this assistance. Identifying details should be omitted if they are not essential. Complete anonymity is difficult to achieve, however, and informed consent should be obtained if there is any doubt. For example, masking the eye region in photographs of patients is inadequate protection of anonymity. If identifying characteristics are altered to protect anonymity, such as in genetic pedigrees, authors should provide assurance that alterations do not distort scientific meaning and editors should so note (International Committee of Medical Journal Editors - "Uniform Requirements for Manuscripts Submitted to Biomedical Journals"- February 2006 – cited by Pubmed, Medline database).

Conflict-of-interest statement

Public trust in the peer review process and the credibility of published articles depend in part on how well conflict of interest is handled during writing, peer review, and editorial decision making. Conflict of interest exists when an author (or the author's institution), reviewer, or editor has financial or personal relationships that inappropriately influence (bias) his or her actions (such relationships are also known as dual commitments, competing interests, or competing loyalties). These relationships vary from those with negligible potential to those with great potential to influence judgment, and not all relationships represent true conflict of interest. The potential for conflict of interest can exist whether or not an individual believes that the relationship affects his or her scientific judgment. Financial relationships (such as employment, consultancies, stock ownership, honoraria, paid expert testimony) are the most easily identifiable conflicts of interest and the most likely to undermine the credibility of the journal, the authors, and of science itself (International Committee of Medical Journal Editors - "Uniform Requirements for Manuscripts Submitted to Biomedical Journals"- February 2006 – cited by Pubmed, Medline database). However, conflicts can occur for other reasons, such as personal relationships, academic competition or intellectual passion, and the Chief Editor will do his best to avoid them, using specific policies in the process of peer-review.

08.03.2009. 03:26

design: www.simple-webdesign.com

[Home](#) | [Archive](#) | Volume 1 (1) / August 2009 | Pilot (a) | Volume 1(2)/2009 (December, 30) | Volume 2(1)/2010 (July, 31) | Volume 2(2)/2010 | Volume 3(1)/2011 | Volume 3(2)/2011 | Volume 3(3)/2011 | Volume 4(1)/2012 | Volume 4(2)/2012 (August, 30) | Volume 4(3)/2012 (December, 30) | Volume 5(1)/2013 | Volume 5(2)/2013, Selected papers, ELSEDIMA International Conference, 9th edn., Cluj-Napoca, 2012 | Volume 5(3)/2013 | Volume 6(1)/2014 | Volume 6(2)/2014 | Special Issue, 2014 | AES Bioflux 6(3)/2014 | Volume 7(1)/2015 | Volume 7(2)/2015 | Volume 7(3)/2015 | Volume 8(1)/2016 | Volume 8(2)/2016 | Volume 8(3)/2016 | Volume 9(1)/2017 | Volume 9(2)/2017 | Volume 9(3)/2017 | Volume 10(1)/2018 | Volume 10(3)/2018 | Volume 11(1)/2019 | Volume 11(2)/2019 | [Contact](#) | [Site Map](#)

Source details

AES Bioflux

Scopus coverage years: 2016

(coverage discontinued in Scopus)

Publisher: Bioflux SRL

ISSN: 2066-7620 E-ISSN: 2065-7647

Subject area: Environmental Science: General Environmental Science

SJR 2018
0.124

ⓘ

SNIP 2018
0.000

ⓘ

[View all documents >](#)

[Set document alert](#)

Scopus content coverage

Year	Documents published	Actions
2016	1 documents	View citation overview >

About Scopus

[What is Scopus](#)

[Content coverage](#)

[Scopus blog](#)

[Scopus API](#)

[Privacy matters](#)

Language

日本語に切り替える

切换到简体中文

切换到繁體中文

Русский язык

Customer Service

[Help](#)

[Contact us](#)

ELSEVIER

[Terms and conditions >](#) [Privacy policy >](#)

Copyright © Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

 RELX



AES Bioflux

1

H Index

Country Romania -  SIR Ranking of RomaniaSubject Area and Category Environmental Science
Environmental Science (miscellaneous)

Publisher Bioflux SRL

Publication type Journals


ISSN 20667620, 20667647

Coverage 2016-ongoing


Scope AES Bioflux is an international peer-reviewed journal. Each published article was independently seen before by two Scientific Reviewers and at least one lingvist. Peer-review policy in AES Bioflux: double blind peer-review. The editors use a programme of screening for plagiarism. Acceptance rate: about 50%. Electronic submission is required. We inform the authors about our decision (acceptance or rejection) in 3-8 weeks after their submission. The average overall time from submission of the manuscript to publication is 10 weeks. The journal covers all the fields of environmental sciences, connected to life sciences, geology, physics, chemistry, economics, policies or legislation (both theoretical and applied issues).

[Homepage](#)[How to publish in this journal](#)[Contact](#)[Join the conversation about this journal](#)

Quartiles




SJR




Total Cites ● Self-Cites




External Cites per Doc ● Cites per Doc




Citations per document



% International Collaboration



Citable documents ● Non-citable documents



Cited documents ● Uncited documents



Muhammad Ramdhan 10 months ago

I have submit my article to this Journal..
and the editor team is quite professional.
my article was blind peer reviewed twice.

<http://www.aes.bioflux.com.ro/docs/2018.68-78.pdf>

thanx,
Ramdhana
(Indonesia)

◀ reply



FAHRUDDIN 7 months ago

MANTAP PAK Ramadhan. sukses. maaf apa jurnal ini masuk dalam list predator...mohon konfirmasinya. wassalam



Fahruddin 1 year ago

I am interesting join to coversation about this journal

◀ reply

Leave a comment

Name

Email

(will not be published)



I'm not a robot

reCAPTCHA

[Privacy](#) · [Terms](#)

Submit

The users of Scimago Journal & Country Rank have the possibility to dialogue through comments linked to a specific journal. The purpose is to have a forum in which general doubts about the processes of publication in the journal, experiences and other issues derived from the publication of papers are resolved. For topics on particular articles, maintain the dialogue through the usual channels with your editor.

Developed by:



Powered by:



Follow us on @ScimagoJR

Scimago Lab. Copyright 2007-2019. Data Source: Scopus®

EST MODUS IN REBUS
Horatio (Satire 1,1,106)



Advances in Environmental Sciences

[Home](#) [Editorial Board](#) [Coverage](#) [News](#) [Sponsor this journal](#) [Other Journals](#) [Sister Journals](#)

You are here > Home · Coverage

AES Bioflux

- [Page format](#)
- [Instructions to authors](#)
- [Submission letter](#)
- [Reviewer information pack](#)
- [Volume 11\(3\)/2019 \(December, 30\)](#)
- [Volume 11\(2\)/2019 \(August, 30\)](#)
- [Volume 11\(1\)/2019 \(April, 30\)](#)
- [Volume 10\(3\)/2018 \(December, 30\)](#)
- [Volume 10\(2\)/2018 \(August, 30\)](#)
- [Volume 10\(1\)/2018 \(April, 30\)](#)
- [Volume 9\(3\)/2017 \(December, 30\)](#)
- [Volume 9\(2\)/2017 \(August, 30\)](#)
- [Volume 9\(1\)/2017 \(April, 30\)](#)
- [Volume 8\(3\)/2016 \(December, 30\)](#)
- [Volume 8\(2\)/2016 \(August, 30\)](#)
- [Volume 8\(1\)/2016 \(April, 30\)](#)
- [Volume 7\(3\)/2015 \(December, 30\)](#)
- [Volume 7\(2\)/2015 \(June, 30\)](#)
- [Volume 7\(1\)/2015 \(April, 30\)](#)
- [Volume 6\(3\)/2014 \(December, 30\)](#)
- [Volume 6\(2\)/2014 \(June, 15\)](#)
- [Volume 6\(1\)/2014 \(April, 15\)](#)
- [Special Issue 2014 \(March, 27\)](#)
- [Volume 5\(3\)/2013 \(October, 15\)](#)
- [Volume 5\(2\)/2013 \(June, 15\)](#)
- [Volume 5\(1\)/2013 \(April, 15\)](#)
- [Volume 4\(3\)/2012 \(December, 30\)](#)
- [Volume 4\(2\)/2012 \(August, 30\)](#)
- [Volume 4\(1\)/2012 \(June, 30\)](#)
- [Volume 3\(3\)/2011 \(December, 30\)](#)
- [Volume 3\(2\)/2011 \(August, 30\)](#)
- [Volume 3\(1\)/2011 \(June, 30\)](#)
- [Volume 2\(2\)/2010 \(November, 30\)](#)
- [Volume 2\(1\)/2010 \(July, 31\)](#)
- [Volume 1\(2\)/2009 \(December, 30\)](#)
- [Volume 1\(1\)/2009 \(August, 30\)](#)
- [Volume Pilot \(b\)/2008 \(December, 30\)
- available printed only](#)
- [Volume Pilot \(a\)/2007 \(December, 30\)
- available printed only](#)

Coverage

ISI Web of Knowledge (Thomson Reuters, via Zoological Record)

ISI Web of Knowledge (Thomson Reuters, via CABI)

Scopus Elsevier (Sciverse)

Scimago Journal Rank

EBSCOhost Online Research Databases

Geobase (part of Elsevier Products)

CAB International (CABI, UK)

INNO Space - Scientific Journal Impact Factor SJIF= 3.984

Wolters Kluwer - Ovid LinkSolver (via CABI)

CAB Direct (as part of CABI)

ProQuest

Ulrich's Periodicals Directory

Serials Solutions

Socolar (CEPIEC, China)

Open J-Gate : World's Biggest Open Access English Language Journals Portal

CNCSIS Romania (Rank: B+)

NewJour (Georgetown University Digital Library)

University of Washington Libraries (Digital Library)

University of Nevada, Reno (University Libraries - Catalogue)

Universitat Regensburg (Digital Library)

American University of Armenia - Koha Online Catalog

AcademicLink (Digital Library)

University Town Library of Shenzhen (Digital Library)

VUB University Library (Digital Library)

Geneva Foundation for Medical Education and Research (Digital Library)

Charles Sturt University (Digital Library)

Library of Congress Home (Digital Library)

ArgosBiotech Science Media (Digital Library)

Tsukuba Digital Library

GOOGLE SCHOLAR (Academic) - Search Engine.

Archiving Policy: We send hardcopies, regularly (according to Romanian legislation), to Legal Deposit at "Biblioteca Nationala a Romaniei" (six samples) and also to a local Legal Deposit in Cluj-Napoca: Biblioteca Judeteana "Octavian Goga" (one sample). No policy as regards electronic online publications is available in Romania at this time.

08.03.2009. 03:29

[Home](#) | [Archive](#) | [Volume 1 \(1\) / August 2009](#) | [Pilot \(a\)](#) | [Pilot \(b\)](#) | [Volume 1\(2\)/2009 \(December, 30\)](#) | [Volume 2\(1\)/2010 \(July, 31\)](#) | [Volume 2\(2\)/2010](#) | [Volume 3\(1\)/2011](#) | [Volume 3\(2\)/2011](#) | [Volume 4\(1\)/2012](#) | [Volume 4\(2\)/2012 \(August, 30\)](#) | [Volume 4\(3\)/2012 \(December, 30\)](#) | [Volume 5\(1\)/2013](#) | [Volume 5\(2\)/2013](#) | [Volume 5\(3\)/2013](#) | [Volume 6\(1\)/2014](#) | [Volume 6\(2\)/2014](#) | [Special Issue, 2014](#) | [AES Bioflux 6\(3\)/2014](#) | [Volume 7\(1\)/2015](#) | [Volume 7\(2\)/2015](#) | [Volume 7\(3\)/2015](#) | [Volume 8\(1\)/2016](#) | [Volume 8\(2\)/2016](#) | [Volume 8\(3\)/2016](#) | [Volume 9\(1\)/2017](#) | [Volume 9\(2\)/2017](#) | [Volume 9\(3\)/2017](#) | [Volume 10\(1\)/2018](#) | [Volume 10\(2\)/2018](#) | [Volume 10\(3\)/2018](#) | [Volume 11\(1\)/2019](#) | [Volume 11\(2\)/2019](#) | [Contact](#) | [Site Map](#)

[design: www.simple-webdesign.com](#)

Home **Editorial Board** Coverage News Sponsor this journal Other Journals Sister Journals



Advances in Environmental Sciences

You are here > Home · Editorial Board

AES Bioflux

- [Page format](#)
- [Instructions to authors](#)
- [Submission letter](#)
- [Reviewer information pack](#)
- [Volume 11\(3\)/2019 \(December, 30\)](#)
- [Volume 11\(2\)/2019 \(August, 30\)](#)
- [Volume 11\(1\)/2019 \(April, 30\)](#)
- [Volume 10\(3\)/2018 \(December, 30\)](#)
- [Volume 10\(2\)/2018 \(August, 30\)](#)
- [Volume 10\(1\)/2018 \(April, 30\)](#)
- [Volume 9\(3\)/2017 \(December, 30\)](#)
- [Volume 9\(2\)/2017 \(August, 30\)](#)
- [Volume 9\(1\)/2017 \(April, 30\)](#)
- [Volume 8\(3\)/2016 \(December, 30\)](#)
- [Volume 8\(2\)/2016 \(August, 30\)](#)
- [Volume 8\(1\)/2016 \(April, 30\)](#)
- [Volume 7\(3\)/2015 \(December, 30\)](#)
- [Volume 7\(2\)/2015 \(June, 30\)](#)
- [Volume 7\(1\)/2015 \(April, 30\)](#)
- [Volume 6\(3\)/2014 \(December, 30\)](#)
- [Volume 6\(2\)/2014 \(June, 15\)](#)
- [Volume 6\(1\)/2014 \(April, 15\)](#)
- [Special Issue 2014 \(March, 27\)](#)
- [Volume 5\(3\)/2013 \(October, 15\)](#)
- [Volume 5\(2\)/2013 \(June, 15\)](#)
- [Volume 5\(1\)/2013 \(April, 15\)](#)
- [Volume 4\(3\)/2012 \(December, 30\)](#)
- [Volume 4\(2\)/2012 \(August, 30\)](#)
- [Volume 4\(1\)/2012 \(June, 30\)](#)
- [Volume 3\(3\)/2011 \(December, 30\)](#)
- [Volume 3\(2\)/2011 \(August, 30\)](#)
- [Volume 3\(1\)/2011 \(June, 30\)](#)
- [Volume 2\(2\)/2010 \(November, 30\)](#)
- [Volume 2\(1\)/2010 \(July, 31\)](#)
- [Volume 1\(2\)/2009 \(December, 30\)](#)
- [Volume 1\(1\)/2009 \(August, 30\)](#)
- [Volume Pilot \(b\)/2008 \(December, 30\)
- available printed only](#)
- [Volume Pilot \(a\)/2007 \(December, 30\)
- available printed only](#)

Editorial Board

Editor-in-Chief

Gavriloaie Ionel-Claudiu - SC Bioflux SRL, Cluj-Napoca (Romania)

Editors

Al-Qutob Mutaz - Al-Quds University (Palestinian Authority)

Banatean-Dunea Ioan - USAB Timisoara, Timisoara (Romania)

Bora Florin D. - Research Station for Viticulture & Enology Tg.Bujor, Galați (Ro)

Bordeanu Bianca - USAMV Cluj, Cluj-Napoca (Romania)

Botha Miklos - Bioflux SRL, Cluj-Napoca (Romania)

Bougdah Mounira - Badji Mokhtar Annaba University, Annaba (Algeria)

Brejea Radu Petru - University of Oradea, Oradea (Romania)

Burny Philippe – Universite de Liege, Gembloux (Belgium)

Caipang Christopher M.A. - Temasek Polytechnic (Singapore)

Chanda Kelvin M. - Lusitu High School, Siavonga (Zambia)

Celik Meryem Yesim - University of Sinop (Turkey)

Clemente Ken Joseph E. - University of Santo Tomas in Manila (Philippines)

Correa Jean Michel - Federal University of Ceara, Fortaleza (Brazil)

Coroian Cristian - USAMV Cluj, Cluj-Napoca (Romania)

Donici Alina - Research Station for Viticulture & Enology Tg.Bujor, Galați (Ro)

Farooq Jehanzeb - Cotton Research Institute, Ayub, Faisalabad (Pakistan)

Georgescu Bogdan - USAMV Cluj, Cluj-Napoca (Romania)

Gradinaru Andrei - USAMV Iasi, Iasi (Romania)

Hasanuzzaman Mirza - Sher-e-Bangla Agricultural University (Bangladesh)

Helepciu Catalina M. - Technical University Gheorghe Asachi, Iasi (Romania)

Kovacs Eniko - USAMV Cluj, Cluj-Napoca (Romania)

Kporou Kouassi Elisee - Jean Lorougnon Guédé University (Ivory Coast)

Mierlita Dan - University of Oradea, Oradea (Romania)

Mihaiescu Radu - Babes-Bolyai University, Cluj-Napoca (Romania)

Mihaiescu Tania - USAMV Cluj, Cluj-Napoca (Romania)

Moldovan Mihai - USAMV Cluj, Cluj-Napoca (Romania)

Mustata Gabriel - R&D National Institute for Food Bioresources (Romania)

Muntean Sorin - USAMV Cluj, Cluj-Napoca (Romania)

Nowak Michal – University of Agriculture in Krakow (Poland)

Nuneza Olga M. - MSU, Iligan Institute of Technology, Iligan City (Philippines)

Oltean Ion - USAMV Cluj, Cluj-Napoca (Romania)

Oroian Ioan - USAMV Cluj, Cluj-Napoca (Romania)

Ozunu Alexandru - Babes-Bolyai University, Cluj-Napoca (Romania)

Outred Heather A. - Massey University, Palmerston North (New Zealand)

Pandey Praveen - Central Institute of Medicinal and Aromatic Plants, Lucknow (India)

Papuc Tudor - USAMV Cluj, Cluj-Napoca (Romania)

Paschos Ioannis - Technological Educational Institute of Epirus (Greece)

Peteiro Cesar - Spanish Institute of Oceanography (IEO), Santander (Spain)

Petrescu Dacina Crina - Babes-Bolyai University, Cluj-Napoca (Romania)

Petrescu-Mag Ioan Valentin – USAMV Cluj, Cluj-Napoca, University of Oradea (Romania)

Petrescu-Mag Malina Ruxandra – Babes-Bolyai University, Cluj-Napoca (Romania)

Pratasik Silvester Benny - Sam Ratulangi University, Manado (Indonesia)

Rahman Mohammed M. - Kochi University, Kochi (Japan)

Safirescu Calin - USAMV Cluj, Cluj-Napoca (Romania)

Samuil Costel - USAMV Iasi, Iasi (Romania)

Sangpradub Narumon - Khon Kaen University, Khon Kaen (Thailand)

Sima Rodica Maria - USAMV Cluj, Cluj-Napoca (Romania)

Stefanescu Lucrina Niculina - Babes-Bolyai University, Cluj-Napoca (Romania)

Talu Stefan - Technical University of Cluj-Napoca (Romania)

Varban Dan - USAMV Cluj, Cluj-Napoca (Romania)

Vesa Stefan Cristian - University of Medicine and Pharmacy, Cluj-Napoca (Romania).

08.03.2009. 03:16

design: www.simple-webdesign.com

Home | Archive | Volume 1 (1) / August 2009 | Pilot (a) | Pilot (b) | Volume 1(2)/2009 (December, 30) | Volume 2(1)/2010 (July, 31) | Volume 2(2)/2010 | Volume 3(1)/2011 | Volume 3(2)/2011 | Volume 4(1)/2012 | Volume 4(2)/2012 (August, 30) | Volume 4(3)/2012 (December, 30) | Volume 5(1)/2013 | Volume 5(2)/2013, Selected papers, ELSEDIMA International Conference, 9th edn., Cluj-Napoca, 2012 | Volume 5(3)/2013 | Volume 6(1)/2014 | Volume 6(2)/2014 | Special Issue, 2014 | AES Bioflux 6(3)/2014 | Volume 7(1)/2015 | Volume 7(2)/2015 | Volume 7(3)/2015 | Volume 8(1)/2016 | Volume 8(2)/2016 | Volume 8(3)/2016 | Volume 9(1)/2017 | Volume 9(2)/2017 | Volume 9(3)/2017 | Volume 10(1)/2018 | Volume 10(2)/2018 | Volume 10(3)/2018 | Volume 11(1)/2019 | Volume 11(2)/2019 | Contact | Site Map

[Home](#) [Editorial Board](#) [Coverage](#) [News](#) [Sponsor this journal](#) [Other Journals](#) [Sister Journals](#)



[Advances in Environmental Sciences](#)

You are here > Home · Volume 11(2)/2019

AES Bioflux

- [Page format](#)
- [Instructions to authors](#)
- [Submission letter](#)
- [Reviewer information pack](#)
- [Volume 11\(3\)/2019 \(December, 30\)](#)
- [Volume 11\(2\)/2019 \(August, 30\)](#)
- [Volume 11\(1\)/2019 \(April, 30\)](#)
- [Volume 10\(3\)/2018 \(December, 30\)](#)
- [Volume 10\(2\)/2018 \(August, 30\)](#)
- [Volume 10\(1\)/2018 \(April, 30\)](#)
- [Volume 9\(3\)/2017 \(December, 30\)](#)
- [Volume 9\(2\)/2017 \(August, 30\)](#)
- [Volume 9\(1\)/2017 \(April, 30\)](#)
- [Volume 8\(3\)/2016 \(December, 30\)](#)
- [Volume 8\(2\)/2016 \(August, 30\)](#)
- [Volume 8\(1\)/2016 \(April, 30\)](#)
- [Volume 7\(3\)/2015 \(December, 30\)](#)
- [Volume 7\(2\)/2015 \(June, 30\)](#)
- [Volume 7\(1\)/2015 \(April, 30\)](#)
- [Volume 6\(3\)/2014 \(December, 30\)](#)
- [Volume 6\(2\)/2014 \(June, 15\)](#)
- [Volume 6\(1\)/2014 \(April, 15\)](#)
- [Special Issue 2014 \(March, 27\)](#)
- [Volume 5\(3\)/2013 \(October, 15\)](#)
- [Volume 5\(2\)/2013 \(June, 15\)](#)
- [Volume 5\(1\)/2013 \(April, 15\)](#)
- [Volume 4\(3\)/2012 \(December, 30\)](#)
- [Volume 4\(2\)/2012 \(August, 30\)](#)
- [Volume 4\(1\)/2012 \(June, 30\)](#)
- [Volume 3\(3\)/2011 \(December, 30\)](#)
- [Volume 3\(2\)/2011 \(August, 30\)](#)
- [Volume 3\(1\)/2011 \(June, 30\)](#)
- [Volume 2\(2\)/2010 \(November, 30\)](#)
- [Volume 2\(1\)/2010 \(July, 31\)](#)
- [Volume 1\(2\)/2009 \(December, 30\)](#)
- [Volume 1\(1\)/2009 \(August, 30\)](#)
- [Volume Pilot \(b\)/2008 \(December, 30\)
- available printed only](#)
- [Volume Pilot \(a\)/2007 \(December, 30\)
- available printed only](#)

Volume 11(2)/2019

Tilaar F. F., Katuuk V., Salaki M. S., Sondakh S. J., Mantiri D. M. H., Kepel R. C., Lasabuda R., Mantiri R. O. S. E., Boneka F. B., Gerung G. S., Wagey B. T., Gaol J. L., 2019 Potential carbon stocks of seagrass species in Bunaken Island, North Sulawesi, Indonesia. *AES Bioflux* 11(2):59-66.

Muis B. A., 2019 Land use planning for water resource conservation in the Krueng Aceh watershed, Indonesia. *AES Bioflux* 11(2):67-74.

Rahayu Y. S., Wardiyati T., Maghfeer D., Handayanto E., 2019 Identification of Pb distribution and pollution potential on agricultural land in Poncokusumo Sub-district, Malang Regency, East Java, Indonesia. *AES Bioflux* 11(2):75-86.

Sabhan, Koropitan A. F., Purba M., Pranowo W. S., Rusydi M., 2019 Numerical model of ocean currents, sediment transport, and geomorphology due to reclamation planning in Palu Bay. *AES Bioflux* 11(2):87-96.

Ianah, Kartodihardjo H., Purwanto Y. J., Murtilaksono K., 2019 Analysis of the spatial planning institution for Cisadane watershed in Bogor. *AES Bioflux* 11(2):xxx-xxx.

...

...

...

design: www.simple-webdesign.com

[Home](#) | [Archive](#) | [Volume 1 \(1\) / August 2009](#) | [Pilot \(a\)](#) | [Pilot \(b\)](#) | [Volume 1\(2\)/2009 \(December, 30\)](#) | [Volume 2\(1\)/2010 \(July, 31\)](#) | [Volume 2\(2\)/2010](#) | [Volume 3\(1\)/2011](#) | [Volume 3\(2\)/2011](#) | [Volume 3\(3\)/2011](#) | [Volume 4\(1\)/2012](#) | [Volume 4\(2\)/2012 \(August, 30\)](#) | [Volume 4\(3\)/2012 \(December, 30\)](#) | [Volume 5\(1\)/2013](#) | [Volume 5\(2\)/2013](#), Selected papers, ELSEDIMA International Conference, 9th edn., Cluj-Napoca, 2012 | [Volume 5\(3\)/2013](#) | [Volume 6\(1\)/2014](#) | [Volume 6\(2\)/2014](#) | [Special Issue, 2014](#) | [AES Bioflux](#) 6(3)/2014 | [Volume 7\(1\)/2015](#) | [Volume 7\(2\)/2015](#) | [Volume 7\(3\)/2015](#) | [Volume 8\(1\)/2016](#) | [Volume 8\(2\)/2016](#) | [Volume 8\(3\)/2016](#) | [Volume 9\(1\)/2017](#) | [Volume 9\(2\)/2017](#) | [Volume 9\(3\)/2017](#) | [Volume 10\(1\)/2018](#) | [Volume 10\(2\)/2018](#) | [Volume 10\(3\)/2018](#) | [Volume 11\(1\)/2019](#) | [Volume 11\(2\)/2019](#) | [Contact](#) | [Site Map](#)

www.aes.bioflux.com.ro/home/volume-11-2-2019/

1/1



Numerical model of ocean currents, sediment transport, and geomorphology due to reclamation planning in Palu Bay

^{1,2}Sabhan, ³Alan F. Koropitan, ³Mulia Purba, ^{4,5}Widodo S. Pranowo,
²Muhammad Rusydi

¹ Marine Science, Postgraduate School of Bogor Agricultural University, Bogor 16680, Indonesia; ² Department of Physics, Faculty of Mathematical and Natural Sciences, Tadulako University, Palu 94118, Indonesia; ³ Department of Marine Science and Technology, Faculty of Fisheries and Marine Science, Bogor Agricultural University, Bogor 16680, Indonesia; ⁴ Department of Hydrography, Indonesian Naval Postgraduate School (STTAL), Jakarta 14430, Indonesia; ⁵ Marine Research Center, Indonesian Ministry of Marine Affairs & Fisheries, Jakarta 14430, Indonesia. Corresponding author: Sabhan, sbh_ikl@yahoo.com

Abstract. Reclamation in developing countries such as Indonesia is being intensely carried out, especially in cities that are located on the coast to create new residential locations; the Palu City as the provincial capital of Central Sulawesi is also planning reclamation activities. This research was conducted to see the changes in current, distribution of suspended sediments and the potential for abrasion and sedimentation by reclamation plans in Palu Bay. The model is a numerical model and it was constructed from continuity and momentum equations. Wind, tides, river discharge and atmospheric parameters were used for model input to generate current, wave and total suspended solid distribution. Before the construction of reclamation, the model showed that a strong current velocity in receding conditions leads to the tide reaches the coast to the east of the Palu River estuary, while in high tide conditions to recede, strong currents in the eastern part of the Palu River estuary move to north. The sediment dispersal from the mouth of the dominant river moves to the west of the Palu River estuary both before and after reclamation. The bottom waters experienced sedimentation and abrasion has been strengthened after this reclamation because the wave energy has not been weakened before crashing into the reclamation wall.

Key Words: current, suspended sediments, bathymetry changes, reclamation, Palu bay.

Introduction. Palu Bay as the capital city of Sulawesi province is experiencing rapid development so that it needs new areas as a means of tourism, trade and new settlements. The choice of new land can be obtained through the process of reclaiming the Palu bay. Reclamation activities affect quality of life such as the occurrence of flash floods and traffic congestion and health. The coastal reclamation process must consider the temporary and permanent negative impacts on the community (Nadzir et al 2014). Reclamation has a detrimental effect on the macrobenthic community and significantly alters the macrobenthos community structure, but may be useful for benthic infauna outside the reclamation area (Lu et al 2002). Changes in coastal bathymetry by reclamation can cause changes in current velocity in other areas affording damage to the residential environment (Malhadas et al 2009). Reclamation construction can cause serious erosion problems due to changes in current and wave (Franz et al 2017).

Research showed that reclamation of water bodies disrupts normal energy gradients, thus inhibiting sediment deposition (Flemming & Nyandwi 1994). Reclamation can reduce the speed of tidal currents by 10% (Manda & Matsuoka 2006). The long shore component of tidal currents intensifies currents towards the sea above the intertidal zone (Chambers et al 1991). Ecologically, reclamation can also eliminate places of life for

some species of birds due to the reduction of wetlands where they seek for food (Yang et al 2011; Yu et al 2017; Wu et al 2018). Reclamation provides the advantage of increasing fresh groundwater sources because reclaimed soil can be an additional aquifer and replenishment of rain occurs in a wider area (Chen & Jiao 2007; Guo & Jiao 2007).

Modeling changes in current, dispersion of suspended sediments and changes in sea depth are very important to see the possible effects of reclamation on both the coastal morphology and the survival of the biota affected by reclamation. Large-scale coastal reclamation causes: loss of wetlands in coastal areas, negative environmental impacts, and potential disasters caused by coastal flooding due to climate change (Tian et al 2016; Meng et al 2017). Research on sedimentation formation behind barrier islands due to Hurricane Ivan in Santa Rosa Island in Florida (Houser et al 2008), then research Van Dongeren developed models of flow, wave and sediment transport calculations, which led to morphology by dredging (Van Dongeren et al 2008). Related research was also carried out by Franz by modeling bathymetry changes due to waves and currents (Franz et al 2017). Previous research has not modeled morphology changes effect of reclamation.

This study hopes to provide input on the impact that will occur on morphological changes, cohesive sediment distribution and current velocity that will occur in case the coastal reclamation in Palu Bay will be granted, and provide the best solution for the security and sustainability of the ecosystem in the bay of Palu. Specifically, this study will compare the flow, distribution of dissolved solids and morphology changes before and after reclamation to see the impact of reclamation.

Material and Method

Data of input model. The data needed as a model input are tidal data, wind, river discharge and depth of the waters of Palu Bay. Tidal data is obtained from FES2004 prediction data consisting of 14 components (Table 1), while wind data obtained from the European Center for Medium-Range Weather Forecasts (ECMWF) in the form of 3-hour wind data. River discharge data is the maximum value data from the monthly average in 2016, while the water depth data is obtained from Dishidros-AL. The dimension of the model uses a grid of $0.001 \times 0.001^\circ \text{d}$ with a grid slope of 20° . The model is ran for 29 days started from January 2016.

Equation of model developed. MOHID 2016 was used to hydrodynamic model and modeling sedimentation changes. All models are run using the MOHID STUDIO 2016 software (Cancino & Neves 1999). Hydrodynamic modeling is modeled using a finite volume with the vertical coordinate type zigma. The model is constructed with the Navier-Stokes equation with the Boussinesq and hydrostatic approaches for continuity and momentum:

$$\frac{\partial u}{\partial x} + \frac{\partial v}{\partial y} + \frac{\partial w}{\partial z} = 0 \quad (1)$$

$$\frac{\partial u}{\partial t} + u \frac{\partial u}{\partial x} + v \frac{\partial u}{\partial y} + w \frac{\partial u}{\partial z} - fv = 1/\rho_0 \left(\frac{\partial p}{\partial x} + \partial/\partial x ((H \frac{\partial u}{\partial x}) + \partial/\partial y ((H \frac{\partial u}{\partial y}) + \partial/\partial z ((t \frac{\partial u}{\partial z})) \right) \quad (2)$$

$$\frac{\partial v}{\partial t} + u \frac{\partial v}{\partial x} + v \frac{\partial v}{\partial y} + w \frac{\partial v}{\partial z} + fu = 1/\rho_0 \left(\frac{\partial p}{\partial y} + \partial/\partial x ((H \frac{\partial v}{\partial x}) + \partial/\partial y ((H \frac{\partial v}{\partial y}) + \partial/\partial z ((t \frac{\partial v}{\partial z})) \right) \quad (3)$$

$$\frac{\partial p}{\partial z} = -\rho \cdot g \quad (4)$$

where: u, v and w are velocities in the direction x, y and z (m s^{-1});

f is Coriolis parameter (rad s^{-1});

v_h and v_t are coefficients turbulent viscosity horizontal and vertical ($\text{m}^2 \text{s}^{-1}$);

p is pressure (Pa);

ρ_0 is the reference density (kg m^{-3}).

Sediment transport is solved using the advection-diffusion flux equation. The equation can be written in the form (Cancino & Neves 1999):

$$\frac{\partial A}{\partial t} + \partial(uA)/\partial x + \partial(va)/\partial y + \partial((w + ws)s)A)/\partial z = \partial/\partial x ((x \frac{\partial A}{\partial y}) + \partial/\partial y ((y \frac{\partial A}{\partial y}) + \partial/\partial z ((z \frac{\partial A}{\partial z})) \quad (5)$$

where: A is concentration of total suspended solid;

t is time;

x, y are horizontal coordinates, z is vertical coordinates;

ϵ_x , ϵ_y , ϵ_z are the diffusion coefficient of the sediment mass;

w_s is velocity of the falling sediment;

u, v, w are velocity of the flow in the direction x, y and z.

Erosion occurs when the ambient shear stress exceeds the erosion threshold. The eroded sediment flux is given by Cancino & Neves (1999):

$$\frac{\partial M_E}{\partial t} = E \left(\frac{\tau}{\tau_E} - 1 \right) \text{ untuk } \tau > \tau_E \\ \frac{\partial M_E}{\partial t} = 0 \quad \text{untuk } \tau < \tau_E \quad (6)$$

where: τ is bottom shear stress;

τ_E is the critical sliding measure for erosion;
 E is erosion constituent ($\text{kg m}^{-2} \text{s}^{-1}$).

Deposition is calculated as the result of depositional flux and the possibility of particles to remain at the base (Cancino & Neves 1999):

$$\frac{\partial M_D}{\partial t} = C_B(W_s) \left(1 - \frac{\tau}{\tau_D} \right) \text{ untuk } \tau > \tau_D \\ \frac{\partial M_D}{\partial t} = 0 \quad \text{untuk } \tau < \tau_D \quad (7)$$

where: τ_D is a critical voltage for deposition.

Data analysis. The current data from the measurement is analyzed by doing a low pass filter to eliminate effect of high-frequency wave ripple on the current. Current data of filter results are analyzed to separate the tidal and residual currents using Institute of Ocean Sciences (IOS) method (Foreman 1978).

Table 1
Tidal Harmonic Components used in the model

No	Symbol	Name of components
1	M2	Principal lunar semidiurnal constituent
2	S2	Principal solar semidiurnal constituent
3	K1	Lunar diurnal constituent
4	K2	Lunisolar semidiurnal constituent
5	N2	Larger lunar elliptic semidiurnal constituent
6	2N2	Lunar elliptical semidiurnal second-order constituent
7	O1	Principal lunar diurnal
8	Q1	Larger lunar elliptic diurnal constituent
9	P1	Solar diurnal constituent
10	M4	Shallow water overtones of principal lunar constituent
11	Mf	Lunisolar fortnightly constituent
12	Mm	Lunar monthly constituent
13	Mtm	Long period termensual
14	MSqm	Long term constituent

Results and Discussion

Validation model. The results of the tidal validation of the model measurements by Geospatial Information Agency (BIG) for 30 days from 1 to 29 January 2016 showed that the corresponding tidal type in the study location was the type of double tidal mix (Figure 1A). The plot results between the tide of the blue line model and the measurement results (BIG data) of the red line indicated the same trend. It means that the tidal model results represent the real tidal condition at the research location. Current validation (Figure 1B) by comparing the results of the model and the measurement results for 3 days showed that the model results represented by the red dot which was the zonal

scatter velocity versus the meridional velocity showed that the average zonal (west east) current velocity was greater compared with meridional current velocity (north south). The results of the measurement data showed that the same trend with the results of the model with a minor ellipse axis that is greater than the minor ellipse axis results from the model. Meridional velocity of the measurement results is greater than the results of the model because does not accommodate all parameters in nature that generate currents. But as a whole the current direction trend between models and measurements shows good conformity so that the model is considered to represent the environmental conditions. But as a whole the current direction trend between models and measurements shows good conformity so that the model is considered to represent the environmental conditions.




Figure 1. A (above) - level of water of model results and measurement data; B (below) - velocity of measurement data results and model results.

Current velocity model. The model results indicated that reclamation activity increases the maximum current velocity in the model domain from 0.8 cm s^{-1} to 1.45 cm s^{-1} and increase sedimentation from 1.62 cm and abrasion from -0.16 cm to -0.29 cm respectively during the simulation period (Table 2).

Table 2
Summary of model results

No	Category	Max value	Min value
1	Current velocity before reclamtaion	0.8 cm s^{-1}	0 cm s^{-1}
2	Current velocity after reclamtaion	1.45 cm s^{-1}	0 cm s^{-1}
3	Change of bathymetry before reclamation	1.62 cm	-0.16 cm
4	Change of bathymetry after reclamation	1.99 cm	-0.29 cm

(-) is abrasion.

The current velocity at the highest tide shows that the currents in the west bay move south while in the eastern part of the bay moves north with a weakening current velocity after entering the bay with a higher depth after reclamation (Figure 2A). The direction of the current before reclamation is the same as after reclamation but the velocity of the current after reclamation is higher by narrowing of geometry (Figure 2B). The current pattern at low tide to the tide shows a pattern of currents that move to the south in the west of the bay and to the north in the east of the bay, the strengthening of currents to the north in the western part is caused by ocean currents added by the Palu River flow (Figure 3A), the eddy formed which strengthened after reclamation (Figure 3B), this eddy was formed by the confluence of ocean currents with the flow of the Palu river.




Figure 2. Current velocity lead up high tide: A (left) - after reclamation; B (right) - before reclamation.




Figure 3. Current velocity at low tide to tide: A (left) - after reclamation; B (right) - before reclamation.

Cohesive sediment and morphology. The distribution of cohesive sediment after reclamation (Figure 4A) and before reclamation (Figure 4B) are simulated originating from the Palu River with a concentration of 10 mg L^{-1} with a river discharge of $60 \text{ m}^3 \text{ s}^{-1}$. The results of the model show that after reclamation the distribution of cohesive sediment with higher concentrations affects the area further from the mouth of the river, this is caused by constringency flow by reclamation. After passing through the reclamation area the distribution pattern of cohesive sediment has the same pattern before and after reclamation.

Change in morphology of model results throughout the simulation period after reclamation (Figure 5A) and natural or no reclamation conditions (Figure 5B). The results of this model are simulated with the assumption of uniform base sediment (D50), with the force factor causing changes in bathymetry are waves and currents that work simultaneously. Before reclamation, changes in bathymetry were mostly concentrated in the west of the Palu river estuary in the form of sedimentation, while in the eastern part of the estuary of the Palu, bathymetry changes in the form of abrasion (value (-)). While the conditions after reclamation of bathymetry changes occurred in front of the reclamation site in the western part of the Palu River estuary, different things were obtained after reclamation where sedimentation occurred in the northern part of the reclamation site on the east coast of Palu Bay.




Figure 4. Cohesive sediment: A (left) - after reclamation; B (right) - before reclamation.




Figure 5. Changing bathymetry: A (left) - after reclamation; B (right) - before reclamation.

Discussion. The results of the model showed that the type of tidal in the Palu Bay is a mix semidiurnal cycles of tidal with a tidal range of 2.25 m (Figure 1A). This tidal type corresponds to the results of the study (Wyrtki 1961) in the Makassar Strait. The results of the model with measurement data for water level and current velocity showed a good compatibility (Figure 1B), so that the produced model is considered to represent environmental conditions.

The current velocity lead to highest tide increases on the west side of Palu Bay which moves from south to north, and the formation of a eddy due to the movement of the current moving out is related to the quite large Palu River discharge (Figure 2B). The current speed reaches 0.8 m s^{-1} . Conditions changed after reclamation (Figure 2B) where there was a narrowing of the canal which caused a strengthening of the current to the

north. Eddy is formed by the confluence of river currents and tidal currents according to those found in Lasolo Bay in Southeast Sulawesi (Surinati & Kusmanto 2016).

Suspended sediment distribution which is simulated as a result of the Palu River with a concentration of 10 mg L^{-1} will spread to the north with a distance of 2 km to reduce the concentration to 5 mg L^{-1} (Figure 4), with a higher concentration to the west of the Palu River estuary follow the dominant current velocity pattern (Atmodjo 2011).

Morphology changes are modeled with a wave generator that simulates in 10 days assuming the type of sediment of all waters is the same. Sedimentation and abrasion patterns before and after reclamation (Figure 5) showed that before reclamation there was sedimentation with a thickness of 0.29 cm and 0.16 cm abrasion. A dominant abrasion occurs in the western part of the bay and partly in the east while sedimentation occurs on the western edge of the Palu Bay. Abrasion occurs due to increased turbidity and sedimentation as the flow velocity decreases (Mulder et al 1998).

The planned reclamation will cause intensification of abrasion to 1.62 cm and sedimentation of 1.99 cm. Abrasion and sedimentation occur both to the west and east of the edge of the Palu bay which borders the reclamation wall threatens the reclamation wall, reclamation has a moderate impact on changes in bathymetry (Mostafa 2012). Strong abrasion corresponds to locations where significant high wave heights (not shown in this paper). Significant wave height cause a mixture of the sedimentary bottom layer which then carries the sediment along the coast until conditions of weak coastal shear current and sediment undergo sedimentation (Kamphuis 1991).

From the description it is recommended to avoid the construction of reclamation because it increases the speed of flow and changes in bathymetry, which is worried about being dangerous especially if a tsunami occurs as happened on 28 September 2018 which is right in Palu Bay. If reclamation is done then the reclamation edge that leads to the sea needs to be planted with trees so that it becomes a natural barrier to high waves such as tsunami waves.

Conclusions. From the results of the model, it can be seen that the presence of reclamation causes a narrowing of the eddy so that the current velocity is increased from 0.8 to 1.45 m s^{-1} . Whereas the distribution of suspended sediments did not change much with the reclamation. Reclamation will cause intensification of abrasion to 1.62 cm and sedimentation of 1.99 cm from previous sedimentation of 0.29 cm and abrasion of 0.16 cm.

Acknowledgements. Many thanks to Frank Braunschweig for permission to use the Mohid for academic license, which, was used in building the Model.

References

- Atmodjo W., 2011 Studi penyebaran sedimen tersuspensi di muara Sungai Porong Kabupaten Pasuruan. *Buletin Oseanografi Marina* 1(1):60-81. [in Indonesian]
- Cancino L., Neves R., 1999 Hydrodynamic and sediment suspension modelling in estuarine systems: Part I: Description of the numerical models. *Journal of Marine Systems* 22(2):105-116.
- Chambers P. A., Prepas E. E., Hamilton H. R., Bothwell M. L., 1991 Current velocity and its effect on aquatic macrophytes in flowing waters. *Ecological Applications* 1(3):249-257.
- Chen K. P., Jiao J. J., 2007 Seawater intrusion and aquifer freshening near reclaimed coastal area of Shenzhen. *Water Science and Technology: Water Supply* 7(2):137-145.
- Flemming B. W., Nyandwi N., 1994 Land reclamation as a cause of fine-grained sediment depletion in backbarrier tidal flats (southern North Sea). *Netherlands Journal of Aquatic Ecology* 28(3-4):299-307.
- Franz G., Delpey M. T., Brito D., Pinto L., Leitão P., Neves R., 2017 Modelling of sediment transport and morphological evolution under the combined action of waves and currents. *Ocean Science* 13(5):673-690.

- Foreman M. G. G., 1978 Manual for tidal currents analysis and prediction. Pacific Marine Science Report 78-6, Institute of Ocean Sciences PB, Canada, 57 pp.
- Guo H., Jiao J. J., 2007 Impact of coastal land reclamation on ground water level and the sea water interface. *Ground Water* 45(3):362-367.
- Houser C., Hapke C., Hamilton S., 2008 Controls on coastal dune morphology, shoreline erosion and barrier island response to extreme storms. *Geomorphology* 100(3-4):223-240.
- Kamphuis J. W., 1991 Alongshore sediment transport rate. *Journal of Waterway, Port, Coastal, and Ocean Engineering* 117(6):624-640.
- Lu L., Goh B. P. L., Chou L. M., 2002 Effects of coastal reclamation on riverine macrobenthic infauna (Sungei Punggol) in Singapore. *Journal of Aquatic Ecosystem Stress and Recovery* 9(2):127-135.
- Malhadas M. S., Silva A., Leitão P. C., Neves R., 2009 Effect of the bathymetric changes on the hydrodynamic and residence time in Óbidos Lagoon (Portugal). *Journal of Coastal Research* 56:549-553.
- Manda A., Matsuoka K., 2006 Changes in tidal currents in the Ariake Sound due to reclamation. *Estuaries and Coasts* 29(4):645-652.
- Meng W., Hu B., He M., Liu B., Mo X., Li H., Wang Z., Zhang Y., 2017 Temporal-spatial variations and driving factors analysis of coastal reclamation in China. *Estuarine, Coastal and Shelf Science* 191:39-49.
- Mostafa Y. E. S., 2012 Environmental impacts of dredging and land reclamation at Abu Qir Bay, Egypt. *Ain Shams Engineering Journal* 3(1):1-15.
- Mulder T., Syvitski J. P., Skene K. I., 1998 Modeling of erosion and deposition by turbidity currents generated at river mouths. *Journal of Sedimentary Research* 68(1):124-137.
- Nadzir N. M., Ibrahim M., Mansor M., 2014 Impacts of coastal reclamation to the quality of life: Tanjung Tokong community, Penang. *Procedia-Social and Behavioral Sciences* 153:159-168.
- Surinati D., Kusmanto E., 2016 [Stratification of water mass in Lasolo Bay, Southeast Sulawesi]. *Oseanologi dan Limnologi di Indonesia* 1(2):17-29. [in Indonesian]
- Tian B., Wu W., Yang Z., Zhou Y., 2016 Drivers, trends, and potential impacts of long-term coastal reclamation in China from 1985 to 2010. *Estuarine, Coastal and Shelf Science* 170:83-90.
- Van Dongeren A., Plant N., Cohen A., Roelvink D., Haller M. C., Catalán P., 2008 Beach wizard: nearshore bathymetry estimation through assimilation of model computations and remote observations. *Coastal Engineering* 55(12):1016-1027.
- Wu W., Yang Z., Tian B., Huang Y., Zhou Y., Zhang T., 2018 Impacts of coastal reclamation on wetlands: loss, resilience, and sustainable management. *Estuarine, Coastal and Shelf Science* 210:153-161.
- Wyrtki K., 1961 Scientific results of marine investigations of the South China Sea and the Gulf of Thailand 1959-1961. NAGA report, 2, 195 pp.
- Yang H. Y., Chen B., Barter M., Piersma T., Zhou C. F., Li F. S., Zhang Z. W., 2011 Impacts of tidal land reclamation in Bohai Bay, China: ongoing losses of critical Yellow Sea waterbird staging and wintering sites. *Bird Conservation International* 21(3):241-259.
- Yu S., Cui B., Gibbons P., Yan J., Ma X., Xie T., Song G., Zou Y., Shao X., 2017 Towards a biodiversity offsetting approach for coastal land reclamation: coastal management implications. *Biological Conservation* 214:35-45.

Received: 05 July 2019. Accepted: 12 August 2019. Published online: 24 August 2019.

Authors:

Sabhan, Department of Physics, Faculty of Mathematical and Natural Sciences, Tadulako University, Palu 94118, Indonesia, e-mail: sbh_ikl@yahoo.com

Alan F. Koropitan, Department of Marine Science and Technology, Faculty of Fisheries and Marine Science, Bogor Agricultural University, Bogor 16680, Indonesia, e-mail: alan.koropitan@gmail.com

Mulia Purba, Department of Marine Science and Technology, Faculty of Fisheries and Marine Science, Bogor Agricultural University, Bogor 16680, Indonesia, e-mail: mpsiboro@yahoo.com

Widodo S. Pranowo, Department of Hydrography, Indonesian Naval Postgraduate School (STTAL), Jakarta 14430, Indonesia, e-mail: widodo.pranowo@gmail.com

Muhammad Rusydi, Department of Physics, Faculty of Mathematical and Natural Sciences, Tadulako University, Palu 94118, Indonesia, e-mail: rusydiutd@gmail.com

This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution and reproduction in any medium, provided the original author and source are credited.

How to cite this article:

Sabhan, Koropitan A. F., Purba M., Pranowo W. S., Rusydi M., 2019 Numerical model of ocean currents, sediment transport, and geomorphology due to reclamation planning in Palu Bay. AES Bioflux 11(2):87-96.